



LumiBright

PRODUCT CATALOGUE

VOLUME 5.0

HEAD PROTECTION

Designed to provide protection to the head during exposure to potential hazards.



Advantage 1
Slide Lock Safety Helmet
Model : HG1-PHSL



Advantage 2
Slide Lock Safety Helmet
Model : HG2-PHSL



Advantage 2
Stealth Lock Safety Helmet
Model : HG2-WHG3RS



Tanizawa Light
Weight ABS Safety Helmet
Model : ST148-E



Prima Vented Webbing Harness
Bump Cap
Model : BC1-WHPL



Prima Vented Plastic Harness
Bump Cap
Model : BC1-PHPL



Browguard Visor Holder
Model : VH4-CE



Replacement
Chin Strap
Model : CS-CE



Carrier with Cylinder
Clear Visor
Model : BGVH/SI-2



Cotton Bump Cap
Model : CBC-99



EYE PROTECTION

Designed to provide protection to the eyes during exposure to flying particles, molten metal or sparks, liquid chemicals, acid or caustic liquids, or potential injurious light radiation.



Series 46 Safety Eyewear
Model : 46YC



Series 46 Safety Eyewear
Model : 46BUC



Series 46 Safety Eyewear
Model : 46BS



Sector 5 Safety Eyewear
Black Frame Hard Coated
Clear Lens
Model : S5BC



Sector 5 Safety Eyewear
Black Frame Hard Coated
UV 400 Lens
Model : S5BUC



Sector 5 Safety Eyewear
Black Frame Hard Coated
Smoke Lens
Model : S5BS



Viper Safety Eyewear Clear Lens
Model : Viper-C



Visitor Spectables Clear Lens
Model : VS-2000C



Visitor Spectacles Clear Lens
with Turquoise Blue Temple
Model : VS-2000C Galaxy



Safety Chemical Goggle
Model : Classix



Anti-Fog Safety Chemical Goggle
Model : Classix-AF



Single Lift Front with Shade 5 Lens Welding Goggle
Model : WG-209

HEARING PROTECTION

Designed to provide protection to an individual's hearing during exposure to high noise levels.



Disposable Foam Earplugs
Model : FEP-03
SNR : 37dB



Reusable Earplugs with Polybag
Model : CONIE 3
SNR : 21dB



Reusable Earplugs with Storage Case
Model : CONIE 1
SNR : 21dB



3M Reusable Earplugs with Storage Case
Model : 1271
SNR : 25dB



Helmet Slotted Earmuff
Model : PC06E
SNR : 27dB
*excluded helmet



VITO Earmuff
Model : A-606
YL/RD/BL
SNR : 27dB



Squaro Foldable Earmuff
Model : PC08FEM
SNR : 30dB

RESPIRATORY PROTECTION

Designed to provide protection to the wearer from potential inhalation hazards such as vapors, mist, particulate and gases.




2 Ply Face Mask
Model : 2P-FM-EL
Type : Non-Woven/Paper



3 Ply Face Mask
Model : 3P-FM-EL
Type : Non-Woven



Disposable Dust Mask
Model : DDM-50



Active Carbon Valved Particulate Respirator
Model : HY8626



Valved Particulate Respirator
Model : F323/V



Valved Particulate Respirator
Model : F333/V



3M N95 Disposable Particulate Respirator
Model : 8110S



3M N95 Disposable Particulate Respirator
Model : 8210



N95 Disposable Particulate Respirator
Model : HY8810/N95



Economic Half Mask Respirator with Cartridge
Model : GM305Y



Replacement Cartridge For Economic Half Mask Respirator
Model : RC-201 (Dust)
RC-202 (Chemical)
RC-203 (Chemical)

3M Replacement Cartridge 3000 Series



**3M Single Cartridge
Half Facepiece Respirator**

Model : 3200

*without cartridge



3M Organic Vapor Cartridge

Model : 3311K-55

Capacity : 55cc



3M Organic Vapor Cartridge

Model : 3311K-100

Capacity : 100cc

3M Replacement Cartridge 6000 Series



**3M Double Cartridge
Half Facepiece Respirator**

Model : 6200

*without cartridge




**Organic Vapor
Cartridge**

Model : 6001



**Acid Gas
Cartridge**

Model : 6002



**Organic Vapor/
Acid Gas Cartridge**

Model : 6003



**Ammonia Methylamine
Cartridge**

Model : 6004



**Formaldehyde/
Organic Vapor
Cartridge**

Model : 6005



**Multi Gas/
Vapor Cartridge**

Model : 6006



**3M Double Cartridge
Full Facepiece Respirator**

Model : 6800

*without cartridge



3M P95 Particulate Filter

Model : 2071



3M Filter Retainer

Model : 501



3M N95 Particulate Filter

Model : 5N11, N95

FALL PROTECTION

Fall protection is defined as a planned system used to protect a worker from death or potential injury in the event they would lose their balance while performing a task at height.



Full Body Harness Built-in Lanyard and Large Hook
Model : PP-BH7886-CBU-LOH



Full Body Harness Built-in with Lanyard and Large Hook
Model : PG141060-OB-CBU-LOH



Fall Arrester
Model : PG141064



Polyamide Lanyard With Large Opening Hook
Model : 1.6M-LH/2.0M-LH



Pear Quick Link
Model : W7370-08



Safety Carabiner
Model : 800



Polyamide Lanyard with Press Snap Hook & Large Opening Hook
Model : 2.0M-CSLH



Polyamide Lanyard with Energy Absorber
Model : EV240-LOH



Twin Polyamide Lanyard with Energy Absorber
Model : EV250-LOH

HAND PROTECTION

Designed to provide protection to the hands during exposures to potential hazards such as sharp objects, abrasive surfaces, temperature extremes and chemical contact. Hand protection is selected based upon the hazard and performance characteristics of the gloves.



13" Medium Duty Nitrile Glove
Model : NG1315
Size : M/L/XL
- Chemical Glove



18" Heavy Duty Nitrile Glove
Model : NG1822
Size : M/L/XL
- Chemical Glove



18" Heavy Duty Rubber Glove
Model : BKG1839
Size : M/L/XL
- Chemical Glove



Powder Free Disposable Latex Glove
Model : LG100PF
Size : S/M/L/XL



Knitted Cotton Glove
Model : B104
Size : Free
- For general work only



Powder Free Disposable Nitrile Glove
Model : PP-DNG-PWR
Size : S/M/L/XL



Heat Resistance Glove
Model : ALU/370/5F-PANOX
Size : Free
- Heat Handling



Heat Resistance Glove
Model : KYM/600/1
Size : Free
- Heat Handling



18" Taekis Cut Resistance String Knit
Model : HEX400R6E



5 Finger Stainless Steel Mesh Glove
Model : PP-S/S-Glove
Size : XS/S/M/L
- Cut Proof Gloves



3 Finger Stainless Steel Mesh Glove
Model : PP-S/S-3FGlove
Size : S/M/L
- Cut Proof Gloves



5 Finger Stainless Steel Mesh Glove-15cm
Model : PP-S/S-Glove-15
Size : S/M/L
- Cut Proof Gloves

BODY PROTECTION

LIFTING SUPPORT

Back support belts are designed to support and improve back posture, thus treating and managing low back pain caused by the conditions sciatica, a slipped disc, facet syndrome, spinal stenosis and degenerative disc disease. These conditions are often brought on or aggravated by weak core muscles or overuse of the back muscles which lead them to become to become strained.



Valeo Heavy Duty 9" Elastic Back Support Belt
Model : VEH

SIZE				
S	M	L	XL	XXL



Lifting Back Support Belt
Model : PP-HM-406

SIZE				
S	M	L	XL	XXL

APRON (SPASH PROTECTION)



Blue PVC/Nylon Apron
Model : PVC3543
Size : 35" x 43"



Ansell Green PVC Apron
Model : 56-100
Size : 35" x 45"



Disposable LDPE Apron
Model : EARP-LDPE
Size : 32" x 54"
Colour : Blue/White



Heavy Duty Poly-Vinyl Apron
Model : PVA-3880
Size : 28" x 40"



Heavy Duty Poly-Vinyl Apron
Model : PVA-3990

RAINWEAR



**Heavy Duty Visibility
Rain Coat**
Model : RC-8018



**Heavy Duty Visibility
Rain Suit**
Model : RC-8020



**Heavy Duty Visibility
Rain Coat with High
Reflective Strip**
Model : ST-3580-Y



**Heavy Duty Visibility
Rain Suit with High
Reflective Strip**
Model : ST-3620-Y

COVERALL



Cotton Coverall
Model : PP-CCNB
Color : Navy Blue



**Dupont Tychem C
Coverall**
Model : PP-TB.C-Y



**Dupont Tyvek Barrierman
Coverall**
Model : PP-1422A



**Disposable Coverall
Water Repellent**
Model : PP-CVNW-PE



**Dupont Tychem F
Coverall**
Model : PP-TB.F-G



Rubber Chest Wader
Model : PP-CW-M

FIRE FIGHTING SUIT



Fireman Outfit

Model : FS-PS3789

Outer Fabric :

- 1 Piece two layer jacket
- 1 Piece two layer Trousers
- 1 Pair Fireman Glove
- 1 Piece Fibre Glass Fireman Helmet
- 1 Pair Fireman Rubber Boots
- 1 Bag for complete outfit



Fireman Helmet c/w
Neck Cover and Visor



Fireman Glove



Fireman Boots

LEATHER WEAR FOR WELDING



Welding Leather Jacket

Model : WPG-222

- Made of quality cow grain leather
- Adjustable sizes
- Provide protection from heat, welding sparks & harmful welding rays



Welding Leather Trousers

Model : WPG-223

- Provide leg protection from abrasions, molten metal, slag, sparks and extreme temperatures



Welding Blanket

Model : PP-WB15130C

- Provide protection from abrasions, molten metal, slag, sparks and extreme temperatures
- Size : 1m x 30m x 1.5mm thickness

ABSORBENT

							
Sorbent Pad		Sorbent Sock		Sorbent Pillow		Sorbent Folded	
Oil SPC-BOS-LMT2002 (200 pcs/carton) SPC-BOS-LMT4002 (100 pcs/carton)		Oil SPC-BOS-SOC7612 (12 pcs/carton) SPC-BOS-SOC7636 (4 pcs/carton)		Oil SPC-BOS-PIL2025 (32 pcs/carton) SPC-BOS-PILL4025 (16 pcs/carton)		Oil SPC-BOS-FLD3802S (1 roll/carton)	
Universal/Chemical SPC-MOS-LMT2002 (200 pcs/carton) SPC-MOS-LMT4002 (100 pcs/carton)		Universal/Chemical SPC-MOS-SOC7612 (12 pcs/carton) SPC-MOS-SOC7636 (4 pcs/carton)		Universal SPC-MOS-PIL2025 (32 pcs/carton) SPC-MOS-PILL4025 (16 pcs/carton)		Universal SPC-MOS-FLD3802S (1 roll/carton)	
Chemical SPC-HOS-LMT2002 (200 pcs/carton) SPC-HOS-LMT4002 (100 pcs/carton)		Chemical SPC-HOS-SOC7612 (12 pcs/carton) SPC-HOS-SOC7636 (4 pcs/carton)		Chemical SPC-HOS-PIL2025 (32 pcs/carton) SPC-HOS-PIL4025 (16 pcs/carton)		Chemical SPC-HOS-FLD3802S (1 roll/carton)	

HAZARDOUS MATERIAL DISPOSAL BAGS

	Code	HMDB2430	HMDB4252
	Description	24" x 30"	42" x 52"
	Thickness	0.10mm	0.12mm
	Quantity	24pcs/bag	24pcs/bag

ZEOSORB ABSORBENT GRANULES

	Code	SPC-ZE010
	Description	- Absorbs immediately on contact - Won't leach back absorbed fluids (Locks in absorbed oil or chemical) - Anti-slip - Maintains strength integrity when fully absorbed & easy to clean. - Natural bonding action - Dispose as General Waste (with permission from local authorities) - Available on convenient kilo boxes making it easy to store in factories or emergency response vehicles.
	Weight	10 kg

SPILL RESPONSE KITS

18 Liter Portable Spill Response Kit



Code	Description
SPC-18L-O	Portable Spill Response Kit - Oil (18 Liters)
SPC-18L-U	Portable Spill Response Kit - Universal (18 Liters)
SPC-18L-C	Portable Spill Response Kit - Chemical (18 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	2 Pcs
• Sorbent Pad	10 Pcs
• Hazardous Material Disposal Bag (24" x 30")	2 Pcs
• Cable tie	2 Pcs
• Anti-fog Goggle	1 Pr
• Nitrile Glove	1 Pr

18 Liter Spillcon Absorbent Floor Sweep Kit



Code	Description
SPC-ZEO10+OIL18	Spillcon Absorbent Floor Sweep Kit - Oil (18 Liters)
SPC-ZEO10+UNI18	Spillcon Absorbent Floor Sweep Kit - Universal (18 Liters)

Content (Per Dispenser)	Quantity
• 18 Liters PE Bucket	1 Nos.
• 10 kg ZEOSORB absorbent granules (for acid & oil)	1 Bag
• Hazardous Material Disposal Bag	2 Pcs
• Plastic handheld sweep and scoop	1 Nos
• Nitrile glove	1 Pair
• N95 disposable particulate respirator	1 Pc

Code	Description
SPC-120L-O	Dispenser Cart Spill Kit - Oil (120 Liters)
SPC-120L-U	Dispenser Cart Spill Kit - Universal (120 Liters)
SPC-120L-C	Dispenser Cart Spill Kit - Chemical (120 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	2 Pcs
• Sorbent Pillow	4 Pcs
• Sorbent Pad	20 Pcs
• Hazardous Material Disposal Bag (24" x 30")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• N95 disposable particulate respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

120 Liter Dispenser Cart Spill Kit



240 Liter Dispenser Cart Spill Kit



Code	Description
SPC-240L-O	Dispenser Cart Spill Kit - Oil (240 Liters)
SPC-240L-U	Dispenser Cart Spill Kit - Universal (240 Liters)
SPC-240L-C	Dispenser Cart Spill Kit - Chemical (240 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	4 Pcs
• Sorbent Pillow	8 Pcs
• Sorbent Pad	40 Pcs
• Hazardous Material Disposal Bag (42" x 52")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• Acid Gas/Organic Gas Particulate Respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

660 Liter Dispenser Cart Spill Kit



Code	Description
SPC-660L-O	Dispenser Cart Spill Kit - Oil (660 Liters)
SPC-660L-U	Dispenser Cart Spill Kit - Universal (660 Liters)
SPC-660L-C	Dispenser Cart Spill Kit - Chemical (660 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	4 Pcs
• Sorbent Pillow	8 Pcs
• Sorbent Pad	40 Pcs
• Hazardous Material Disposal Bag (42" x 52")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• Acid Gas/Organic Gas Particulate Respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

Code	Description
SPC-120L-O	Service Station Spill Kit - Oil (120 Liters)

Content (Per Dispenser)	Quantity
• Sorbent Sock	2 Pcs
• Sorbent Pillow	2 Pcs
• Sorbent Pad	20 Pcs
• Universal Sorbent Pad	20 Pcs
• Hazardous Material Disposal Bag (24" x 30")	10 Pcs
• Cable tie	10 Pcs
• Disposable Coverall	2 Pcs
• Plastic Handheld Sweep & Scoop (Big)	2 Pcs
• Anti-fog Goggle	2 Prs
• Nitrile Glove	2 Prs
• N95 Disposable Particulate Respirator	2 Prs
• Floor Standee (CAUTION! Spillage in cleaning)	1 Pc

120 Liter Service Station Spill Kit



WALL MOUNTED EYEWASH

Where space may be of constraint, wall-mounted eyewash fits easily into your workplace. Eyewash works quickly with a simple push of it highly visible handle.



Certified : ANSI Z358.1 - 2004



Eyewash with ABS Bowl
Model : EY 5050




Eyewash with Stainless Steel Bowl
Model : EY 5050 SS



FLOOR MOUNTED EYEWASH

These fine units work very well in any environment. This unit can be mounted onto a floor and operated either by hand or by foot.

Certified : ANSI Z358.1 - 2004



Eyewash with ABS Plastic Bowl
Model : EY 5070/ GIY 5070




Eyewash with Stainless Steel Bowl
Model : EY 5060 SS/ GIY 5060 SS

FLOOR MOUNTED DRENCH SHOWER & EYEWASH

Our combination unit of drench and eyewash is popular in workplace where fire and chemical spillages may occur. All control valves are the instant action, stay opened type of ball valve. All units come with optimal foot pedal.

Certified : ANSI Z358.1 - 2004



Combination Shower & Eyewash with ABS Bowl c/w Foot Pedal
Model : ECB 10022AB/
GIC 10022AB



Combination Shower & Eyewash with Stainless Steel Bowl c/w Foot Pedal
Model : ECB 10022 SS/
GIC 10022 SS

SPARE PART



Stainless Steel Shower Bowl
Model : S 09-200



ABS Plastic Shower Bowl
Model : IM 90-136



ABS Plastic Eyewash Bowl
Model : IM 50-777



Stainless Steel Eyewash Bowl
Model : S 50-123



Stainless Steel Push Handle
Model : S 128-223



Foot Pedal with Stainless Steel Chain
Model : IM 26-166D



1" Shower Control Valve with Lever
Model : O 25-059



Stainless Steel Pull Rod
Model : S 128-2U



Eyewash Head Assembly
Model : IM 55-CD

ANTI-SLIP TAPES (SERIES 1000)

Anti slip tape products are an effective way to office visual warning of a slip and hazard. The tape adheres must be on clean and dry surface, water and chemical resistant and can be used both indoor and outdoor.



Yellow/Black



High Visibility Yellow



Clear



Black (Coarse)

Size	Model			
	Yellow/Black	High Visibility Yellow	Clear	Black (Coarse)
2" x 18.25 meter	1102YB	1102Y	1102C	1302B
4" x 18.25 meter	1104YB	1104Y	1104C	1304B
6" x 18.25 meter	1106YB	1106Y	1106C	1306B
2" x 6 meter	1102YB6M	1102Y6M	1102C6M	1302B6M

SLIP RESISTANT RESILIENT TAPES (SERIES 2000)

SkidGARD
ANTI-SLIP FLOOR SOLUTION

SkidGARD slip resistant resilient tape is rugged textured for firm traction. Suitable for firm traction. Suitable for step tools, golf carts, aquatic equipment, playground apparatus, and many more.




Size	Model			
	Black Rubberised Vinyl	Grey Rubberised Vinyl	White Rubberised Vinyl	Clear Rubberised Vinyl
2" x 18.25 meter	25102B	25102G	25102W	25102C
4" x 18.25 meter	25104B	25104G	25104W	25104C
6" x 18.25 meter	25106B	25106G	25106W	25106C

ANTI SLIP TAPES

SkidGARD
ANTI-SLIP FLOOR SOLUTION

Promote organization and safety by visually identifying area in your workspace.




Size	Model	
	Fine Black Grit	Coarse Black Grit
5.5" x 5.5"	1100B	1300B
6" x 24"		

SAFETY FLOOR TAPES

Promote organization and safety by visually identifying are in your workspace

	Model
	Safety Floor Tape
	2" x 30m per roll 4" x 30m per roll
Color	
Black/Yellow/Green/Red/Blue	



	Safety Floor Tape			AWAS Caution Tape	ESD Protected Tape
Model	SS-FT-RW	SS-FT-GW	SS-FT-YB	ACBT	SS-ESD
Size	48mm x 30m	48mm x 30m	48mm x 30m	72mm x 66m	3" x 33m
Color	Red/White	Green/White	Yellow/Black	Red/White	Yellow

PVC REFLECTIVE TAPES

Used at construction sites for safety indications and are available with us at market leading rates.




	Model		
Size	Yellow	Silver	Orange
2"	RPVC-50-Y	RPVC-50-S	RPVC-50-O
4"	RPVC-100-Y	RPVC-100-S	RPVC-100-O

PHOTOLUMINESCENT TAPES (Glow in the dark - No Grit)

- Model** : MG
- Size** : 1" x 5 meters
2" x 5 meters
3" x 5 meters
4" x 5 meters



Light ON



Light OFF

DIAMOND PLATE ANTI-FATIGUE MAT

Anti-fatigue mats are often used to decrease the weariness for workers who stand in one position for long periods.



		Model	
Size		Diamond Plate Anti-fatigue Mat	
600mm x 18m		AFM2	
900mm x 18m		AFM3	
1200mm x 18m		AFM4	
Material	Thickness	Edge Type	Color
PVC/Cell PVC Foam	9"/16"	Bevelled	Yellow/Black

EQUIPMENT CABINET



	Model		
	Fire Extinguisher Cabinet (9kg)	Hose Reel Cabinet	Hydrant Cabinet
Dimension	280mm(W) x 710mm(H) x 260mm(D)	790mm(W) x 790mm(H) x 360mm(D)	560mm(W) x 1163mm(H) x 300mm(D)
Material	Mild Steel	Mild Steel	Mild Steel
Thickness	0.8mm	0.8mm	0.8mm
Paint Finishing	Epoxy Powder Red	Epoxy Powder Red	Epoxy Powder Red

FIRE HOSE, NOZZLE & HOSE REEL



- Fire Hose**
- Jacket :**
- Tough, high tenacity
 - Good mechanical
 - Abrasion resistance
 - Rotproof, mildew proof
- Lining :**
- No hydrolysis
 - Flex-fatigue resistance
 - Excellent flexibility
 - Climatically resistance
 - Resistance to swell oils & aliphatic hydrocarbon
 - Light weight

- Hose Reel Jet/Spray Nozzle**
- Model** : a. EZ-19P
b. EZ-25P
- Inlet** : a.19mm
b. 25mm
- Body Material** : Nylon
- Finishing** : Red
- Working Pressure** : 12 bar
- Test Pressure** : 18 bar
- Flow Rate @ 6 bar** : Jet : SSL/min
Spray : 63L/min
- Throw Range @ 4 bar** : Jet : 10m
Spray : 4m

- Hose Reel**
- Inlet**
19mm(3/4") or 25mm(1") BSP Thread
- Outlet Connection to Hose :**
19mm(3/4") or 25mm(1") Serrated
- Working Pressure :**
12 bar (217 psi)
- Test Pressure :**
18 bar (261 psi)

EMERGENCY KEY / MANUAL KEY SWITCH / NOZZLE BOX



D109



D112



D105



D101KS



D106

	Model				
	D109	D112	D105	D101KS	D106
Casing Material	Mild Steel	ABS Plastic	Mild Steel	ABS Plastic	ABS Plastic
Net Weight	682g	250g	760g	175g	125g

FIRE EXTINGUISHER



	2kg Carbon Dioxide Gas	9kg Dry Powder
Type	Stored Pressure	Stored Pressure
Propellant	-	Dry Nitrogen (N ₂)
Capacity	2kg Carbon Dioxide (CO ₂)	9kg Dry Powder
Head Valve	Controllable Chrome Plated Brass Valve	Controllable Non Ferrous Valve with Pressure Indicator
Overall Height	510mm	590mm
Approx. Full Weight	7.6kg	12.7kg
Working Temperature Range	-20°C to +60°C	
Working / Test Pressure	56 Bar/250 Bar	12 Bar/24 Bar
Burst Pressure	> 458 Bar	Exceed 69 Bar
Discharge Time	12 seconds	20 seconds
Approx. Discharge Range	3 meter	6 - 7.5 meter
Mounting	Swivel Horn Assembly	Metal "L" Wall Bracket
Body Diameter	114mm	178mm
Fire Rating	21B	27A/144B
Paint Finishing	RAL 3000 Flame Red Polyester Powder Coating	
Manufacturer	Eversafe	Eversafe
Design & Manufacture	MS1539 : Part 1 : 2002	
Class	Class B, E	Class A, B, C, E

FIRE FIGHTING EQUIPMENT



**Fire Extinguisher
Single Stand**
Model : FES-S



**Fire Extinguisher
Double Stand**
Model : FES-D



Fire Blanket
Model : a. FB44CD
 b. FB46CD
Size : a. 4ft x 4ft
 b. 4ft x 6ft



Fireman Axe

EMERGENCY RESPONSE EQUIPMENT



**Double Foldable Stretcher
with Carrying Bag**
Model : DFPS
Self Weight : 5.8kg
Load Bearing : 159kg



**Single Foldable Stretcher
with 2 strap**
Model : SFPS
Self Weight : 5kg
Load Bearing : 159kg



**Laerdal Pocket Mask with Glove &
Wipe in Yellow Hard Case**
Model : LPM-820011



Heartsine Samaritan® PAD 500P
Size : 20cm x 18.4cm x 4.8cm
Weight : 1.1kg including Pad-Pak Battery
Type : Semi-Automatic
Memory : Internal
 - 90 minutes of ECG (full disclosure) and
 : incident recording
Battery : Lithium Manganese Dioxide 18V
type : >60 shocks at 200J or 6 hours of continuous monitoring



Wheel chair
Model : PM-WH



AED Cabinet
Model : PM-01-AC
Size : 330mm(L) x 160mm(W) x 300mm(H)
Weight : 3.9 kg
Product Description :
• Included with Siren Sound and Light
• Allow to mounted on wall
• Break glass to get the key
• Include with 9V battery and 2 keys
*AED not included

FIRST AID KITS

PVC BOX



First Aid Kit - Small

Model : FAK-PM-S

Size : 232mm(L) x 130mm(W) x 43mm(H)



First Aid Kit - Medium

Model : FAK-PM-M

Size : 258mm(L) x 68mm(W) x 126mm(H)



First Aid Kit - Large

Model : FAK-PM-L

Size : 280mm(L) x 90mm(W) x 210mm(H)

METAL BOX



First Aid Kit - Medium

Model : FAK-PM-MM

Size : 290mm(L) x 90mm(W) x 135mm(H)



First Aid Kit - Large

Model : FAK-PM-ML

Size : 292mm(L) x 95mm(W) x 243mm(H)

OTHER EQUIPMENTS



4 Wheel Recycle Bin - 660 Liter

Model : WRB-GN-660

Color : Green

Size : 1250mm(L) x 770mm(W) x 1220mm(H)



**2 Wheel Recycle Bin
(120 Liter/240 Liter)**

Model : WRB-GN-120 / WRB-GN-120

Color : Green

Size : 120 Liter - 480mm(L) x 555mm(W) x 930mm(H)

240 Liter - 580mm(L) x 715mm(W) x 1070mm(H)



**Turbolid Recycle Bin
(240 Liter)**
Model : TRB-BRN
Size : Brown



**Turbolid Recycle Bin
(240 Liter)**
Model : TRB-OR
Size : Orange



**Turbolid Recycle Bin
(240 Liter)**
Model : TRB-BL
Size : Blue



Sure-Grip® EX Safety Cabinets - All Purpose, Yellow

Capacity	No. of Doors	Types of Doors	Dimension H x W x D	No. of Shelves	Approv./Lstg. Regulation*	Ship Wt. (lbs/kg)	Model No.
30 Gal/114L	2	Manual	44" x 43" x 18"	1	FM,N,O	221/100	893000
30 Gal/114L	2	Self-close	44" x 43" x 18"	1	FM,N,O,U	223/101	893020
60 Gal/227L	2	Manual	65" x 34" x 34"	2	FM,N,O	366/166	896000
60 Gal/227L	2	Self-close	65" x 34" x 34"	2	FM,N,O,U	368/167	896020



Blue Steel Sure-Grip® EX Safety Cabinets for Corrosives

Capacity	No. of Doors	Types of Doors	Dimension H x W x D	No. of Shelves	Approv./Lstg. Regulation*	Ship Wt. (lbs/kg)	Model No.
30 Gal/114L	2	Manual	44" x 43" x 18"	1	FM,N,O	222/101	893002
30 Gal/114L	2	Self-Close	44" x 43" x 18"	1	FM,N,O,U	225/102	893022
60 Gal/227L	2	Manual	65" x 34" x 34"	2	FM,N,O	368/167	896002
60 Gal/227L	2	Self-Close	65" x 34" x 34"	2	FM,N,O,U	370/168	896022



Safety Plunger Cans

Model	: 10208
Capacity	: 2 Liters
Dasher	: 13 cm
OD x H	: 18cm x 20cm
Product Description	• Dispense flammable liquids and solvents safely, without waste or exposure. • Perforated dasher dissipates heat. • Pump base design leaves less liquid in the bottom before requiring a refill. • High-density polyethylene container option for greater corrosion resistance. • Approved by FM Approvals and TUV.



4-DRUM POLY-SLIME-LINE™ 6000

Model	: 5400-YE-D
Sump Capacity	: 250 Liters
Weight	41 kg
Dimensions	: 137cm(L) x 137cm(W) x 30cm(H)
Load Bearing Capacity UDL	: 2700 kg
Regulations	: EPA 40 CFR 264.175, SPCC, NPDES and UFC

